## **Bethel Health Assessment**



Student Name	School	·
Date of Birth	Date	Grade
You have checked on school records that information & direction when she/he ne school so that appropriate instructions records that appropriate instructions in the school so that appropriate instructions in the school so that appropriate instructions in the school school so that appropriate instructions in the school schoo	eeds help at school. Please complete may be given to school personnel. Pl	portant to have current health this form & return it to your child's lease contact your school nurse.
CHECK SYMPTOMS USUALLY PRESE	NT IN THIS STUDENT'S LOW BLC	OOD SUGAR REACTIONS:
Mood changes (circle the usual): irrital	bility crying confusion inappropria	te responses
Headacheunusually pale, moist	, clammy skinshaky,nervous	dizziness
blurred visionNumbness, tinglin	g lips/tonguedrowsiness,fatigue	loss of consciousness
Other		
How often does a low blood sugar reacti	on occur?	
Most recent hospitalization/emergency	room visit for diabetes?	
Diabetes is currently being treated by Di	r	Phone
List measures needed at school to help p school.)		aclude directions for meals and snacks at
Do blood sugar tests need to be done at	school?NoYes (When?	) Does
the child need assistance with blood sug	ar test?No _Yes Diabetes ma	anagement?NoYes
Will insulin be taken at school?No	YesPenShot	Pump (type)
If ordered, will glucagon be provided to	the school for severe hypoglycemia?	NoYes
Does your child ride the school bus? THE USUAL PLAN AT SCHOOL FO IS: Precautions taken:  1. If unsure whether problem accordingly. Check blood	OR A STUDENT HAVING LOW In is low blood sugar or high blood sugar.	

## 2. Never attempt to give food or liquid to a student who is unconscious or having a seizure.

- Action taken:

  1. If conscious, give one of the following: ½ cup juice, 4 round glucose tabs, glucose gel, or other fast acting sugar supplied by parent. Do not leave student alone.
  - 2. If symptoms do not improve in 15 minutes repeat the above.
  - 3. If symptoms don't improve after second feeding repeat sugar treatment, call parent, continue to monitor
  - 4. After symptoms subside check student care plan to see if extra snack is needed.

## **Emergency action:**

- 1. If student becomes unconscious, has a seizure or is unable to swallow, call 911. If glucagon kit provided, a trained staff person should give.
- 2. Notify parents at once if 911 is called

Continue to the back of this sheet

HS: Diabetes 3-18

## Bethel Health Assessment



Student Name		
Parent/Guardian Contact #1	Emergency Contact #2	Emergency Contact #3
Name	Name	Name
Relationship	Relationship	Relationship
Phone:	Phone:	Phone:
Work #	Work #	Work #
AMBULANCE PERMIT		
give consent for the school princ	ipal, school nurse, or other school p	personnel to use their judgment in securing
urther medical aid and to call an	ambulance to take my (son, daught	er)
	to	Hospital in case parent/leg
guardian cannot be reached.		
The above information may be sha	ared with ambulance personnel. <b>PF</b>	ERMISSION: YES NO
•		nd may be shared electronically.
	RETURN THIS FORM TO THE S (For Staff use only below this li	ine)
	DATE	SIGN / INITIAL
TUDENT COMPUTER SYSTEM E	NTRY	
NFORMATION SHARED WITH S	TAFF	
Additional notes:		
<u></u>		